



Входные дроссели

Мощность (KW)	Наименование	Ток А	Индуктивность мН±15%	Габарит	L mm	L1 mm	L2 mm	L3 mm	W mm	W1 mm	W2 mm	W3 mm	H mm	H1 mm	H2 mm	H3 mm	А×В
0.75	ETACL-00037-ALM840-4L	3.7	3.98	A	96	40			95	76			105				6×10
1.5	ETACL-00050-ALM420-4L	5	2.94		96	40			95	76			105				6×10
2.2	ETACL-00075-ALM300-4L	7.5	1.96		150	70			80	58			155				7×12
3.7	ETACL-0010-ALM220-4L	10	1.47		150	70			80	58			155				7×12
5.5	ETACL-0015-ALM142-4L	15	0.98		150	70			80	58			155				7×12
7.5	ETACL-0020-ALM108-4L	20	0.74		150	70			90	68			155				7×12
11	ETACL-0030-ALM70-4L	30	0.49		150	70			90	68			155				7×12
15	ETACL-0040-ALM53-4L	40	0.37		150	70			90	68			155				7×12
18.5	ETACL-0050-ALM42-4L	50	0.29	B	180	80	60		105	82			155				7×12
22	ETACL-0060-ALM36-4L	60	0.25		180	80	60		105	82			155				7×12
30	ETACL-0080-ALM26-4L	80	0.18		180	80	60		105	82			155				7×12
37	ETACL-0100-ALM24-4L	100	0.15		210	90	70		115	93			170				9×15
45	ETACL-0120-ALM18-4L	120	0.12		210	90	70		115	93			170				9×15
55	ETACL-0150-ALM15-4L	150	0.098	C	240	120	80	30	135	105	87	102	205	46	162	4	9×15
75	ETACL-0200-ALM11-4L	200	0.074		240	120	80	30	135	105	87	102	205	46	162	4	9×15
90	ETACL-0230-ALM10-4L	230	0.064		290	250	100	30	150	119	101	116	240	57	185	5	11×18
110	ETACL-0250-ALM09-4L	250	0.059		290	250	100	30	150	119	101	116	240	57	185	5	11×18
132	ETACL-0280-ALM08-4L	280	0.053		290	250	100	30	150	119	101	116	240	57	185	5	11×18
160	ETACL-0330-ALM06-4L	330	0.045		290	250	100	40	150	119	106	126	260	57	205	6	11×18
187	ETACL-0360-ALM05-4L	360	0.041		290	250	100	40	150	119	106	126	260	57	205	6	11×18
200	ETACL-0400-ALM045-4L	400	0.037		290	250	100	40	150	119	106	126	260	57	205	6	11×18
220	ETACL-0450-ALM04-4L	450	0.033		330	280	110	40	205	160	118	138	280	68	217	6	13×18
250	ETACL-0500-ALM03-4L	500	0.029		330	280	110	40	216	172	125	145	303	70	242	8	13×18
280	ETACL-0600-ALM025-4L	600	0.025		330	280	110	40	216	172	125	145	303	70	242	8	13×18
315	ETACL-0650-ALM022-4L	650	0.023	330	280	110	40	216	172	125	145	303	70	242	8	13×18	
400	ETACL-0750-ALM02-4L	720	0.020	D	330	280	110	50	222	177	135	160	313	70	252	8	13×18
500	ETACL-1000-ALM019-4L	1000	0.018		330	280	110	50	222	177	135	160	313	70	252	8	13×18



Выходные дроссели

Мощность (KW)	Наименование	Ток А	Индуктивность мН±15%	Габарит	L mm	L1 mm	L2 mm	L3 mm	W mm	W1 mm	W2 mm	W3 mm	H mm	H1 mm	H2 mm	H3 mm	A×B
0.75	ETOCL-00030-ALU2100-4L	3.7	3.98	A	96	40			95	76			105				6×10
1.5	ETOCL-00050-ALU2000-4L	5	2.94		96	40			95	76			105				6×10
2.2	ETOCL-00065-ALU1500-4L	7.5	1.96		96	40			95	76			105				6×10
4	ETOCL-0011-ALU1200-4L	10	1.47		150	70			80	58			155				7×12
5.5	ETOCL-0016-ALU900-4L	15	0.98		150	70			80	58			155				7×12
7.5	ETOCL-0020-ALU700-4L	20	0.74		150	70			80	58			155				7×12
11	ETOCL-0030-ALU650-4L	30	0.49		150	70			90	68			155				7×12
15	ETOCL-0040-ALU600-4L	40	0.37		150	70			90	68			155				7×12
18.5	ETOCL-0050-ALU450-4L	50	0.29	B	150	70			90	68			155				7×12
22	ETOCL-0060-ALU350-4L	60	0.25		180	80	60		105	82			155				7×12
30	ETOCL-0080-ALU100-4L	80	0.18		180	80	60		105	82			155				7×12
37	ETOCL-0100-ALU90-4L	100	0.15		180	80	60		105	82			155				7×12
45	ETOCL-0120-ALU80-4L	120	0.12		210	90	70		115	93			170				9×15
55	ETOCL-0150-ALU65-4L	150	0.098	C	240	120	80	30	135	105	87	102	205	46	162	4	9×15
75	ETOCL-0200-ALU40-4L	200	0.074		240	120	80	30	135	105	87	102	205	46	162	4	9×15
90	ETOCL-0230-ALU35-4L	230	0.064		290	250	100	30	150	119	91	106	240	57	185	5	11×18
110	ETOCL-0250-ALU30-4L	250	0.059		290	250	100	30	150	119	91	106	240	57	185	5	11×18
132	ETOCL-0280-ALU25-4L	280	0.053		290	250	100	30	150	119	91	106	240	57	185	5	11×18
160	ETOCL-0330-ALU20-4L	330	0.045		290	250	100	40	150	119	96	116	260	57	205	6	11×18
187	ETOCL-0360-ALU16-4L	360	0.041		290	250	100	40	150	119	96	116	260	57	205	6	11×18
200	ETOCL-0400-ALU13-4L	400	0.037		290	250	100	40	150	119	96	116	260	57	205	6	11×18
220	ETOCL-0450-ALU11-4L	450	0.033		310	270	105	40	205	160	113	133	280	68	217	6	13×18
250	ETOCL-0500-ALU09-4L	500	0.029		330	280	110	40	216	172	125	145	303	70	242	8	13×18
280	ETOCL-0600-ALU07-4L	600	0.025		330	280	110	40	216	172	125	145	303	70	242	8	13×18
315	ETOCL-0650-ALU06-4L	650	0.023	330	280	110	40	216	172	125	145	303	70	242	8	13×18	
400	ETOCL-0750-ALU055-4L	720	0.020	D	330	280	110	50	222	177	135	160	313	70	252	8	13×18
500	ETOCL-1000-ALU045-4L	1000	0.018		330	280	110	50	222	177	135	160	313	70	252	8	13×18



Габаритные размеры (мм)





A



B



C



D